


This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
A	CH'D BOM -1 QTY. FROM 1 TO 2, -9 & -13 FROM 1 TO 2, AND -11 FROM 4 TO 8 PER R.W.	3/14/11	RJC	—



NOTES

1.



 RED BARN MACHINE

TITLE	
MQ-8B APPROACH SHORING, C-130	
DWG NO.	REV
RBT18404	A
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
TOLERANCES ON:	
DECIMALS	METRIC REF.
.XXX ± .005	.XXmm ± .1mm
.XX ± .01	FRACTIONS ± 1/32
.X ± .1	ANGLES ± .5°
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE NTS	
DATE 2-16-11	
SHEET 1 of 5	

ASSY QTY	B/O	PART #	UNIT QTY	DESCRIPTION	MATERIAL	B/O INFORMATION OR SPECIFICATIONS	Pg.
1	X	-1	2	WELDMENT			2
1		-3		BOTTOM PLATE	6061 PLATE	1/4 x 12 x 12	3
1		-5		CENTER PLATE	6061 PLATE	1/4 x 7-7/8 x 11-3/4	4
1		-7		TOP PLATE	6061 PLATE	1/4 x 4 x 12	5
	B/O	-9	2	REVERSE STENCIL	VINYL	3/4 WHITE	1
	B/O	-11	8	DRIVE SCREW	STEEL	#2 TYPE U x 1/4 ZINC PLATED EUGENE FASTNER	1
	B/O	-13	2	RED BARN PLACARD	ALUMINUM	RB41009	1
ASSY -1							

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
—	—	—	—	—



WELDMENT


NOTES

1.

RB RED BARN MACHINE			
TITLE MQ-8B APPROACH SHORING, C-130			
DWG NO. RBT18404-1		REV A	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1		METRIC REF. .XXmm ± .1mm FRACTIONS ± 1/32 ANGLES ± 5°	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING		DRAWN BY: CLOUGH APPROVED: D Weil HEAT TREAT FINISH: POWDER COAT RED SPEC: RAL 3020 USED ON MODEL: MQ-8B	
SCALE: NTS	DATE: 2-16-11	SHEET: 2 of 5	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
—	—	—	—	—



SECTION A-A

③
BOTTOM PLATE


NOTES

1.

RED BARN MACHINE	
TITLE MQ-8B APPROACH SHORING, C-130	
DWG NO. RBT18404-3	REV A
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1	METRIC REF. .XXmm ± .1mm FRACTIONS ± 1/32 ANGLES ± 5°
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	DRAWN BY: CLOUGH APPROVED: D Well HEAT TREAT FINISH SPEC USED ON MODEL MQ-8B
SCALE NTS	DATE 2-16-11 SHEET 3 of 5

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.


REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
—	—	—	—	—



⑤
CENTER PLATE



NOTES

1.

 RED BARN MACHINE			
TITLE MQ-8B APPROACH SHORING, C-130			
DWG NO. RBT18404-5		REV A	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		DRAWN BY: CLOUGH	
TOLERANCES ON:		APPROVED <i>D Weid</i>	
DECIMALS .XXX ± .005		HEAT TREAT	
METRIC REF. .XXmm ± .1mm		FINISH	
FRACTIONS ± 1/32		SPEC SEE WELDMENT	
ANGLES ± .5°		USED ON MODEL	
UNLESS OTHERWISE SPECIFIED		MQ-8B	
1. BREAK ALL SHARP EDGES			
.015 x 45° PR .015 R			
2. DIMENSIONAL LIMITS APPLY AFTER PLATING			
SCALE NTS	DATE 2-16-11	SHEET 4 of 5	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.


REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
—	—	—	—	—



(-7)
TOP PLATE

NOTES

1.

 RED BARN MACHINE			
TITLE MQ-8B APPROACH SHORING, C-130			
DWG NO. RBT18404-7			REV A
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1		DRAWN BY: CLOUGH APPROVED: <i>D Weid</i> HEAT TREAT FINISH SPEC SEE WELDMENT USED ON MODEL MQ-8B	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING		SCALE: NTS DATE: 2-16-11 SHEET: 5 of 5	